



## MFC-L2730DW Compact 4-in-1 mono laser printer



PRINT



COPY



SCAN



FAX



WIRELESS

The feature rich MFC-L2730DW is designed for the busy home and small office, requiring multifunction capabilities. This quiet, desktop friendly device, provides fast print speeds of up to 34ppm, 6.8cm colour touchscreen and built-in wired and wireless connectivity.



## Key features:

- Fast print speeds of up to 34 pages per minute
- Automatic 2-sided print
- 250 sheet paper input
- 50 sheet Auto Document Feeder
- Built in wired and wireless connectivity
- Up to 1,200 page\* in-box toner
- 6.8cm colour touchscreen
- 128MB memory

## Performance designed for businesses of tomorrow

Duplicating, digitising and sharing documents has never been easier. The MFC-L2730DW, offers true network capabilities, with wired and wireless connectivity. Documents can be scanned and shared directly to a network folder, making it easy to share and archive.

Save time by printing-from and scanning-to popular cloud services directly from the 6.8cm touchscreen including Dropbox, Google Drive™, Evernote, OneNote and more. The most frequently used functions, can be easily created as custom shortcuts on the touchscreen.

## Maximum value for money

The MFC-L2730DW comes with a large 1,200 page in-box toner, providing crisp black text every time. Together with a host of feature rich functionality, ensures that your print outs are professional and cost effective.

## Quiet without compromise

Print quietly without compromising on speed or quality, operating at the lowest decibel in class (under 50dB). All the models throughout the range are designed to sit on your desk, printing quietly at full speed while you work without interruption.

## Designed to go the distance

Built to perform for longer. The MFC-L2730DW, has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, providing the peace of mind that your printer will keep on going.

\* Approx declared yield value in accordance with ISO/IEC 19752

## General

### Technology

Electrophotographic Laser Printer

### Laser Classification

Class 1 Laser  
Product (IEC60825-1:2014)

### Processor

600MHz

### Memory

128MB

### Wired Network Interface

10Base-T/100Base-TX

### Wireless Network

IEEE 802.11b/g/n

### Control Panel

6.8cm colour touchscreen

### Local Interface

Hi-Speed USB 2.0

### Shortcuts

12

## Print

### Print Speed Standard (A4)

Up to 34ppm  
(pages per minute)

### Print Speed 2-Sided (A4)

Up to 16 sides per minute  
(8 sheets per minute)

### Resolution

Up to 1,200 x 1,200 dpi

### Automatic 2-Sided Printing

Print on to both sides of the paper

### FPOT (First Print Out Time)

Less than 8.5 seconds from ready mode

### Warm Up Time

Less than 9 seconds from sleep mode

### Print Languages

PCL6, BR-Script3 (PostScript<sup>®</sup>3<sup>™</sup> Language Emulation), PDF version1.7

### Embedded Fonts (PCL)

66 scalable fonts, 12 bitmap fonts, 16 barcodes

### Embedded Fonts (Postscript)

66 scalable fonts

### Embedded Barcodes (PCL)

Code39, Interleaved 2 of 5, FIM (US-PostNet, Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI

## Printer Functions

### N-up Printing<sup>3</sup>

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page  
(Mac, up to 2, 4, 6, 9, or 16)

### Watermark Printing<sup>4</sup>

Watermark your documents with predefined text or with your own user-defined messages

### Booklet Printing<sup>4</sup>

Print documents in A5 booklet format using automatic or manual 2-sided print

## Printer Driver

### Windows<sup>®</sup>

Windows<sup>®</sup>10 (32 & 64 bit editions)  
Windows<sup>®</sup>8 (32 & 64 bit editions)  
Windows<sup>®</sup>7 (32 & 64 bit editions)  
Windows<sup>®</sup> Server 2016 (32 & 64 bit editions)\*  
Windows<sup>®</sup> Server 2012, 2012R2 & 2008R2\*  
Windows<sup>®</sup> Server 2008 (32 & 64 bit editions)\*

### Macintosh<sup>5</sup>

macOS 10.8.x or greater

### Linux<sup>5</sup>

CUPS, LPD/LPRng (32 & 64 bit editions)

### PostScript Universal Printer Driver

Driver for Windows<sup>®</sup> that enables you to print to any network or locally-connected Brother laser printer that supports PostScript

### PCL Driver

Generic PCL XL driver

\* Windows<sup>®</sup> Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows<sup>®</sup> & Mac<sup>®</sup> only.

4 Windows<sup>®</sup> only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Standard Paper Handling

**Paper Input<sup>2</sup>**  
Standard Tray - 250 sheets  
Manual feed slot - 1 sheet

**Automatic Document Feeder (ADF) – 50 Sheets**

**Paper Output<sup>2</sup>**  
Face Down - 120 sheets  
Face Up (Straight Paper Path) - 1 sheet

## Media Specification

**Media Types & Weights**  
Standard  
Plain & recycled paper (between 60 - 163g/m<sup>2</sup>)  
Manual feed slot  
Plain, Recycled, Bond, Label, Envelope, (between 60 - 230g/m<sup>2</sup>)  
2-sided Print  
Plain & recycled paper (between 60 - 105g/m<sup>2</sup>)

**Envelope & Label Printing**  
Yes, from the Manual feed slot: support for 1 envelope / sheet

**Media Sizes**  
Standard Tray  
A4, Letter, A5, A5 (Long Edge), A6, Executive  
Manual feed slot  
Width: 76.2mm to 215.9mm x  
Length: 127mm to 355.6mm  
2-sided Print  
A4

## Mobile / Web Based Printing & Scanning

**Brother iPrint&Scan (Android/ iPad / iPhone / iPod/ Windows® Phone/ 8,10 & RT)**  
Print from, scan to, preview copies and check the machine status from a mobile/ tablet/ laptop device

**Google Cloud Print 2.0**  
Print most common file types from any Google Cloud Print enabled application

**AirPrint**  
Print from and scan to most common file types from any AirPrint enabled application

**Brother Print Service Plugin**  
Print from Android devices without a dedicated App

**Mopria**  
Print most common file types from Mopria supported Android devices

## Copy

**Speed - (A4)**  
Up to 34cpm  
(copies per minute)

**FCOT (First Copy Time Out)**  
Less than 10 seconds from ready mode

**Resolution**  
Up to 600 x 600dpi

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Scan

**Scanner Type**  
CIS (Contact Image Sensor)

**Colour & Mono Scanning**  
Yes

**Scan Speed Mono**  
23.6ipm (images per minute)

**Scan Speed Colour**  
7.5ipm (images per minute)

**Scan Resolution from ADF**  
Up to 600 x 600dpi

**Scan Resolution from Scanner Glass**  
Up to 1,200 x 1,200dpi

**Interpolated Scan Resolution**  
Up to 19,200 x 19,200dpi

**Standard Functions<sup>8</sup>**  
Scan to E-mail, OCR, Image, File & FTP

**Scan Features**  
Remove Background, Skip Blank Page<sup>4</sup>, ID Scan<sup>4</sup>, 1 to 2 Scan<sup>4</sup>, Split PDF

**Scan To Microsoft Office<sup>3</sup>**  
Scan to Microsoft<sup>®</sup> Word, Microsoft<sup>®</sup> Excel & Microsoft<sup>®</sup> PowerPoint

**Scan to Searchable PDF**  
Scan documents to searchable PDF files

**Scan to SharePoint<sup>4&8</sup>**  
Scan documents directly into SharePoint

**Windows<sup>®</sup> Web Services Scanning**  
Scan direct into Windows<sup>®</sup> (from Windows<sup>®</sup> 7 & onwards) without needing to install a scanner driver

## Scanner Driver

**Windows<sup>®</sup>**  
TWAIN & WIA  
Windows<sup>®</sup> 10 (32 & 64 bit editions)  
Windows<sup>®</sup> 8.1 (32 & 64 bit editions)  
Windows<sup>®</sup> 8 (32 & 64 bit editions)

**Macintosh<sup>5</sup>**  
TWAIN & AirPrint  
macOS 10.8.x or greater

**Linux<sup>5</sup>**  
SANE(32 & 64 bit editions)

## Fleet Management Tools

**BRAdmin Light<sup>4&5</sup>**  
LAN/WAN management software

**Embedded Web Server**  
Web based print management software embedded onto the device

## PrintSmart Solutions (optional)

**PrintSmart Cost Control**  
Monitor and control printing costs for all Brother and 3rd party devices

For more information on PrintSmart Solutions visit: [www.brother.eu](http://www.brother.eu)

## Address Book

**Speed Dials**  
200 locations for E-mail addresses and fax numbers

**Group Dial**  
A combination of up to 20 groups can be stored for broadcasting

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows<sup>®</sup> & Mac<sup>®</sup> only.

4 Windows<sup>®</sup> only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

## Network and Security

### Wired Network

Built in Ethernet  
10Base-T/100Base-TX

### Network Protocols

TCP/IP (IPv4 and IPv6)

### Wired Network Security

SMTP-AUTH, SNMP  
v3,SSL/  
TLS(SMTP,HTTP,IPP)

### Wireless Network

IEEE 802.11b/g/n  
(Infrastructure Mode  
/ Adhoc Mode)

### Wireless Set-Up Support

Wi-Fi Protected Setup  
(WPS)

### Wireless Applications

Vertical Pairing

### IPv4

ARP, RARP, BOOTP, DHCP,  
APIPA(Auto IP), WINS/NetBIOS  
name resolution, DNS Resolver,  
mDNS, LLMNR responder,  
LPR/LPD, Custom Raw  
Port/Port9100, SMTP Client,  
IPP/IPPS, FTP Server,  
SNMPv1/v2c/v3, HTTP/HTTPS  
server, TFTP client and server,  
ICMP, Web Services (Print),  
SNTP Client

### IPv6

NDP, RA, DNS resolver, mDNS,  
LLMNR responder, LPR/LPD,  
Custom Raw Port/Port9100,  
IPP/IPPS, SMTP Client, FTP  
Server, SNMPv1/v2c/v3, HTTP/  
HTTPS server, TFTP client and  
server, ICMPv6, SNTP Client,  
Web Services (Print)

### E-mail Notifications

Automatically have the device  
send e-mail alerts when it  
requires attention, such as  
when the toner is low or  
needs replacing

### E-mail Reports

Receive usage reports on a  
regular basis via e-mail

### IP Filter

Restrict which network users  
can or cannot access the  
device over the network  
(IPv4 only)

### Setting Lock

Secures access to the devices  
control panel by locking it

## Supplies

### Inbox Toner

700 pages<sup>1</sup>

### Standard Yield Toner

1,200 pages<sup>1</sup>(TN-2410)

### High Yield Toner

3,000 pages<sup>1</sup>(TN-2420)

### Drum (DR-2400)

Approx 12,000 pages

### Carton Contents

Toner cartridge, drum,  
power supply cord, driver  
software for Windows®,  
Quick Set-Up Guide (PC  
interface cable NOT  
included)

The frequency of replacement  
consumables will vary  
depending on the complexity  
of the prints, the percentage  
of coverage, paper size, page  
per job, and the type of  
media.

## Dimensions and Weights

### With Carton (WxDxH)

410 x 398.5 x 318.5 mm -  
11.8kg

### Without Carton (WxDxH)

580 x 517 x 434 mm - 14.7kg

## Duty Cycles

### Recommended Monthly

Up to 2,000 pages monthly  
print volume

### Maximum Monthly<sup>6</sup>

Up to 15,000 pages monthly  
print volume

<sup>1</sup> Approx declared yield value in accordance with ISO/IEC 19752.

<sup>2</sup> Calculated with 80g/m<sup>2</sup> paper.

<sup>3</sup> Windows® & Mac® only.

<sup>4</sup> Windows® only.

<sup>5</sup> Optional download.

<sup>6</sup> Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

<sup>7</sup> Requires Brother Software.

<sup>8</sup> Must be web connected.

All specifications correct at the time  
of printing and are subject to  
change.

Brother is a registered trademark of Brother  
Industries Ltd. Brand product names are  
registered trademarks or trademarks of  
their respective companies.

## Environment

### Power Consumption

Printing - 440W (260W in quiet mode),  
Ready - 42W,  
Sleep - 6.2W,  
Deep sleep - 0.6W, Off - 0.03W

### TEC Value

1.348kWh / Week

### Sound Pressure Level

Printin  
g  
49dbA,  
Quiet mode  
printing 44dbA,  
Ready  
Up to 30dbA

### Power Saving

This enables the printer to consume less energy when not in use

### Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

### Energy Star

Yes

### Eco Mode

Yes

## Fax

### Fax Modem

33,600bps (Super G3)

### PC Fax Send<sup>9&3</sup>

Send faxes directly from your PC

### PC Fax Receive<sup>9&4</sup>

Receive faxes directly to your PC

### Fax Forwarding

Sends a fax received in memory to another pre-programmed fax number

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m<sup>2</sup> paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother Software.

8 Must be web connected.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.