

ADS-2800W

Wired and wireless network document scanner



Bringing Paper to Life
When your scanner is connected,
everyone is connected

Reliable network scanning

Offering wired and wireless network capability, business critical information can be sent directly to a desired network folder location, improving workflow efficiency and increasing productivity. The ADS-2800W also supports programmable scan destinations from the 9.3cm colour touchscreen, for instant, one touch PC-free scanning.

Wired and wireless network

With wired and wireless connectivity, there is no need to log on to a central PC or install software at multiple location points. Share information across teams and departments with minimum user involvement.

Fast input, reliable output

Uses a wider output tray to neatly capture paper fed through the Automatic Document Feeder (ADF). Trays are angled to encounter less paper resistance, so paper can glide easily and stack smoothly, reducing paper folds.

Versatility

Processes a wide range of mixed document materials, paper weights, colours, sizes and also plastic cards.



High productivity

Built for professional business usage with scan speeds of up to 40ppm (80ipm) and a large 50-sheet capacity document feeder.

Colour touchscreen

Predefined one touch scanning from the 9.3cm colour touchscreen helps to prevent the risk of inaccurate filing and lost scans, by ensuring scans can be sent directly to a desired location with one simple command.

Range of scan-to functions

To support cross function scanning, the ADS-2800W scans to cloud services, email, email server, file, image, network, OCR software, SharePoint, USB host, FTP and the web.

For more information, visit: www.brother.co.uk/scanners

Driver and software compatibility

Compatible with key drivers including TWAIN and ISIS, plus Kofax VRS* software compatibility, ensuring easy integration with industry scanning software and systems.



iPrint&Scan app



Brother's free mobile app allows you to scan directly to and from your mobile device over the network connection.

Secure Function Lock (SFL)

Secure Function Lock (SFL) allows user restrictions to be put in place for function management and improved security.



Brother Solutions Interface (BSI)

Brother Solutions Interface (BSI) is a software platform that enables third-party developers to build custom solutions that integrate with Brother devices. Customised menus and screens can be created to provide new functionality, helping you improve operations while also helping to reduce costs, wastage and risk.

* Kofax software not included


Advanced features

Ultrasonic multi feed detection



Multifeed detection uses sound waves to identify potential misfeeds, reducing the risk of damaged documents and lost data.

Reverse roller system



This system manages incoming bulk paper jobs so only one sheet is processed at a time, for outstanding reliability when scanning a variety of document types and weights.

Auto deskew



Automatically aligns scanned images, reducing manual preparation and saving time.

ADS-2800W specification

General
Image sensor type - Dual CIS
Control panel - 9.3Cm LCD colour touchscreen
Paper handling
ADF capacity ^[6] - 50-sheet
Minimum document size - 51 x 51mm, Maximum ^[7] document size - 215.9 x 355.6mm
Maximum long paper scan document size - 5000mm
Maximum daily duty cycle ^[2] - up to 3,000 sheets
Paper weights ^[1] (thickness) - 27 to 413 gsm
Plastic card weights (thickness) - embossed up to 1.4mm
Scan
Scan speed (A4) colour / mono - up to 40ppm (80ipm)
Resolution - up to 600 x 600 dpi (from adf) up to 1200 x 1200 dpi (interpolated)
Functions - email, image, OCR, PC, SharePoint®, WS Scan, USB host, email server, apps, cloud, Network, FTP/SFTP
Profile setting - Including file types PDF (single, split page, archive, searchable, secure, signed), JPEG, TIFF (single, split page), XPS Scan Profile ^[10] , e-mail server, scan to web ^[8] , apps (scan to Microsoft Office, easy scan to e-mail, outline and scan, 48 configurable shortcuts)
Other features ^[4]
Auto scan size, auto deskew, skip blank page, auto colour detection, auto image rotation, background processing, binarisation, blurred character correction, boldface formatting, colour dropout, colour tone adjustment, colour tone adjustment, edge fill, edge emphasis, margin setting, noise reduction, multifeed detection, punch hole removal, quiet mode, carrier sheet mode, one sheet scan, plastic card mode, remove ruled lines, detect end of page, brother solutions interface (BSI), secure function, lock(ver 3.0), active directory authentication, setting lock, WPS, LDAP
Connectivity
Local interface - USB 2.0 and USB host
Wired network interface - 10BASE-T/100BASE-TX/1000Base-T (1 GigE). wireless network interface - IEEE 802.11g (Wi-Fi direct)
Mobile ^[5] - iPrint&Scan app, Brother scan viewer for IOS/ OSX, image viewer for Android
Drivers / software
Drivers ^[6] - TWAIN 2.2, WIA, ISIS, SANE, ICA
Software for Windows® - Brother Control Center 4, Nuance® Paperport 14SE, ABBYY® FineReader Sprint v.12, ABBYY PDF Transformer+, Remote Set-up, BRAdmin Professional ^[3,8]
Software for Mac ^[9] - Brother Control Center 2, ABBYY® FineReader Sprint v12, Remote Set-up
Unit
Dimensions (W x D x H) - 306 x 258 x 250mm
Weight - 4.5kg

[1] For best performance it is recommended to use a carrier sheet for the following weights: 27-39 gsm

[2] Maximum number of scanned pages per day can be used to compare designed durability between like Brother products. For maximum scanner life, it is best to choose a scanner with a duty cycle that far exceeds your scan requirements

[3] Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

[4] All available with supplied software

[5] Some options may require additional download or subscription

[6] Capacity varies dependent on paper weight

[7] Document sizes larger than A4, but not exceeding A3, can be scanned (single-side) using carrier sheet

[8] Must be web connected

[9] Windows® only

[10] Windows® & Mac® only

Contact:

brother
at your side

Brother UK Ltd
Shepley Street, Audenshaw, Manchester, M34 5JD
Tel: +44 (0)333 777 4444 Fax: +44 (0)161 931 2218
Website: www.brother.co.uk

All specifications correct at time of printing: December 2017. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

CD2643